


# APDatec 840 transparent

Flexible single layer hose made of soft PVC, food grade phthalate-free

- Applications** beverage production & conveying, food production & -conveying, water drain, aquariums, automation technology & robotics
- Structure** PVC / soft PVC, uncolored, clear
- Temperature** -20°C up to 65°C
- Properties** good flexibility, good chemical resistance, phthalate-free
- Norms** material according to Food EU Directive (EC) No. 1935/2004 & Regulation (EC) No. 10/2011 for A, B, C, certified according to Food EU Directive (EC) No. 1935/2004 & Regulation (EC) No. 10/2011 for A, B, C



Inner Diameter (mm)	Outer Diameter (mm)	Wall Thickness (mm)	Bursting Pressure (bar)	Total Weight per Item (kg)	Length	Article Number
2	4	1,00	10,00	1,20	100	8400021000
3	5	1,00	8,00	1,50	100	8400031000
3	6	1,50	10,00	2,60	100	8400031500
4	6	1,00	6,50	1,90	100	8400041000
4	7	1,50	8,00	3,20	100	8400041500
4	8	2,00	10,00	4,60	100	8400042000
5	7	1,00	6,00	2,30	100	8400051000
5	8	1,50	8,50	3,80	100	8400051500
5	9	2,00	10,50	5,40	100	8400052000
6	8	1,00	5,00	2,70	100	8400061000
6	9	1,50	7,00	4,30	100	8400061500
6	9	1,50	7,00	0,43	10	8400061510
6	9	1,50	7,00	2,15	50	8400061550
6	10	2,00	9,00	6,20	100	8400062000
6	12	3,00	12,00	10,40	100	8400063000
7	10	1,50	6,00	4,90	100	8400071500
7	11	2,00	8,00	6,90	100	8400072000
8	10	1,00	4,00	3,50	100	8400081000
8	11	1,50	5,50	0,55	10	8400081510
8	11	1,50	5,50	1,38	25	8400081525
8	12	2,00	7,00	3,85	50	8400082050

Inner Diameter (mm)	Outer Diameter (mm)	Wall Thickness (mm)	Bursting Pressure (bar)	Total Weight per Item (kg)	Length	Article Number
8	14	3,00	10,00	6,35	50	8400083050
9	12	1,50	5,00	3,05	50	8400091550
9	13	2,00	6,50	4,25	50	8400092050
10	13	1,50	4,50	3,30	50	8400101550
10	14	2,00	6,00	0,92	10	8400102010
10	14	2,00	6,00	1,84	20	8400102025
10	16	3,00	8,00	7,50	50	8400103050
11	15	2,00	6,00	5,00	50	8400112050
12	15	1,50	4,00	3,90	50	8400121550
12	16	2,00	5,00	5,40	50	8400122050
13	17	2,00	4,50	5,75	50	8400132050
13	19	3,00	6,50	9,25	50	8400133050
14	18	2,00	4,50	6,15	50	8400142050
15	19	2,00	4,00	6,55	50	8400152050
15	21	3,00	6,00	10,40	50	8400153050
16	20	2,00	4,00	6,95	50	8400162050
16	21	2,50	4,50	8,90	50	8400162550
16	22	3,00	5,60	10,95	50	8400163050
18	22	2,00	3,50	7,70	50	8400182050
18	24	3,00	5,00	12,10	50	8400183050
19	23	2,00	3,50	8,10	50	8400192050
19	24	2,50	4,00	10,35	50	8400192550
19	25	3,00	5,00	12,70	50	8400193050
19	26	3,50	5,50	15,10	50	8400193550
19	27	4,00	6,30	17,70	50	8400194050
20	24	2,00	3,50	8,45	50	8400202050
20	26	3,00	4,50	13,25	50	8400203050
22	28	3,00	4,30	14,45	50	8400223050
25	31	3,00	3,50	16,15	50	8400253025
25	33	4,00	5,00	22,30	50	8400254025
25	34	4,50	5,50	12,78	25	8400254525
27	33	3,00	3,50	8,65	25	8400273025
28	36	4,00	4,00	12,32	25	8400284025
30	37	3,50	3,50	11,28	25	8400303525
32	40	4,00	4,00	13,85	25	8400324025
32	42	5,00	4,50	17,80	25	8400325025
35	42	3,50	3,50	12,95	25	8400353525
35	45	5,00	4,00	19,23	25	8400355025
38	48	5,00	4,00	20,67	25	8400385025
40	48	4,00	3,00	16,93	25	8400404025
40	50	5,00	4,00	21,65	25	8400405025
45	55	5,00	3,50	24,05	25	8400455025
50	60	5,00	3,00	52,90	50	8400505025

Inner Diameter (mm)	Outer Diameter (mm)	Wall Thickness (mm)	Bursting Pressure (bar)	Total Weight per Item (kg)	Length	Article Number
60	70	5,00	2,50	31,25	25	8400605025
65	75	5,00	2,50	33,50	25	8400655025
70	80	5,00	2,00	36,00	25	8400705025
80	90	5,00	1,50	40,75	25	8400805025
90	100	5,00	1,50	45,50	25	8400905025